
THE ULTIMATE



POOL EXPERIENCE





THE PERFECT FIT

You can choose the size that fits your Customer's backyard and lifestyle.

| SIZES & SHAPES | SQUARE FEET | GALLONS |
|----------------|----------------|---------|
| 15' ROUND | 165 | 5,000 |
| 18' ROUND | 257 | 7,710 |
| 21' ROUND | 334 | 10,020 |
| 24' ROUND | 459 | 13,770 |
| 28' ROUND | 608 | 18,240 |
| 1524 OVAL | 296 | 8,880 |
| 1530 OVAL | 383 | 11,490 |

| 1530 OVAL | 383 | 11,490 |
|---------------------|-----|--------|
| 1732 OVAL | 480 | 14,400 |
| 1224 GRECIAN | 259 | 7,720 |
| 1430 GRECIAN | 362 | 10,860 |
| 1632 GRECIAN | 500 | 15,000 |
| 1836 GRECIAN | 614 | 18,300 |
| 2040 GRECIAN | 793 | 23,630 |
| 916 FITNESS GRECIAN | 119 | 3,570 |
| 920 FITNESS GRECIAN | 154 | 4,620 |
| | | |

^{*} Note: Standard Water Depth in all Ultimate Pools is 4'.

INSTALLATION POSSIBILITIES







DURABILITY

Our state-of-the-art epoxy powder coating system provides long-lasting protection from corrosion on our walls and buttress supports, and is backed by a limited lifetime warranty. Combining this with a concrete bonding ring on Oval and Grecian pools provides lasting strength in any soil. Optional Siding Kits are available for round above ground and semi-inground applications only.

INSTALLATION

The Ultimate is offered in three standard shapes with multiple standard sizes and is constructed from inground quality 14-gauge powder-coated steel. When installing a Round Ultimate Pool, it is the only shape that can be installed completely above ground. The Grecian and Oval shapes must be submerged in the ground at least 16" and require buttress supports and a concrete collar similar to an inground pool.

ULTIMATE





Ultimate Pool Kits come equipped with all necessary pool parts, hardware, and step-by-step installation instructions for a seamless DIY build. Scan the code below to watch our informative Installation Video.



All Ultimate Pool Kits include:

- 14 Gauge Galvanized Powder Coated Steel Walls
- Top Rail (with the option of aluminum bendable bullnose or synthetic wood)
 - Inground Quality Skimmer and Return
 - Hardware
 - Drive Stakes
 - Joint Covers
 - Sandbar Tile Liner (20 mil side with 16 mil bottom)*
 - A-Frame Ladder

* You also have the option of choosing from any of our Inground Liner Selections at an additional cost.

POOL KIT



TOP RAIL OPTIONS

Both Top Rail options are availble for above ground, semi-inground or inground Ultimate Pool installations.



STAIRS

Walk-In Stairs make an easy and beautiful way to enter and exit the pool. It's available as an 8' straight or radius (5 tread). It's made from tough, durable material that withstands earth movement and severe weather changes. We also offer the cantilever stair to allow for a more custom look for your customer.



SNAP-IN COVERS

Snap-In Covers feature a reinforced 16 mil vinyl side wall with a 12 mil body. The entire cover remains inside the pool, giving it a cleaner appearance in the off season. This cover carries a standard three-year limited warranty.



SIDING KITS

Optional Batton Board Vertical Siding Kits are available for round above ground and semi-inground applications only.

OPTIONAL ADD-ONS

The Ultimate Pool is available with many great options to fit your needs. The top of the pool wall is available with AZEK synthetic wood for a sleek above ground or semi-inground installation, an aluminum bullnose coping for concrete application on inground installations, and liner track if you desire a paver or wood deck.

Optional add-ons that can also be included with the Ultimate Pool are Stairs, Snap-In Covers, Lighting, and Siding Kits. Snap-In Covers feature a reinforced 16 mil vinyl side wall with a 12 mil body (Walk-In Stairs make an easy and beautiful entryway for your pool). Available in an 8' straight or radius (5 tread).







For questions or to order an Ultimate Pool, please contact your nearest Dealer or one of our Customer Service Representatives. Normal scheduled working hours for the Customer Service Department are Monday-Friday 8 a.m.- 5 p.m. (EST).